

TH420 V2 Ultra EX ARGB CPU AIO Liquid Cooler

P/N: CL-W417-PL14SW-A

TH420 V2 Ultra EX **ARGB** CPU AIO Liquid Cooler

Release the full CPU Horsepower



TT thermaltake

TH420 V2 Ultra EX ARGB CPU AIO Liquid Cooler

•Specification

Compatibility	CPU Socket	Intel LGA 2066/2011-3/2011/1700/ 1200/1156/1155/1151/1150 AMD AM5/AM4/AM3+/AM3/AM2+/AM2/FM2/FM1
Water Block	Material	Copper
Pump	Motor Speed	PWM 1500~3300 RPM
	Rated Voltage	12V
	Rated Current	0.43A
	Power Input	5.16W
CPU Display	Rated Voltage	5V
	Power Input	1.15W
	Display Type	2.1" TFT-LCD
	Display Resolution	480x480 (RGB) px
Display Support	Interface	Micro USB to USB (9PIN)
	System Compatibility	Windows 10 / 11
Fan	Dimension	140 x 140 x 25 mm
	Speed	PWM 500~1800 R.P.M
	Rated Voltage	12V/5V
	Rated Current	0.3A & 0.32A (one fan)
	Power Input	3.6W & 1.6W (one fan)
	Air Flow.	90.3 CFM (one fan)
	Static Pressure.	3.07 mm-H2O (one fan)
	Noise Level.	30.7 dB-A
Radiator	Dimension	456 x 139 x 27 mm
	Material	Aluminum
Tube	Length	460mm
	Material	Rubber

TH420 V2 Ultra EX ARGB CPU AIO Liquid Cooler


• Detailed Features :

- Industrial-style Pump Head Design featuring a 2.1-inch LCD Screen
- 2.1-inch IPS Panel with 480*480 resolution provides a vivid image from any angle of view
- Display real-time system information and customize graphics through TT RGB PLUS 2.0 Software
- Equipped with CT120/140 EX ARGB Sync Magnetic Daisy-chain Fans with exceptional cable management
- MagForce 2.0, a new Magnetic Connection Design for optimized fan daisy-chaining
- Universal Socket Compatibility for both Intel and AMD Platform

• Appearance



High Performance Water Block



High Efficiency Radiator



MagForce 2.0 Cable



Powerful Cooling Fan

TH420 V2 Ultra EX ARGB CPU AIO Liquid Cooler

• Appearance



Special Water Block Design

Built-in 2.1" LCD display



Start-up Screen



Stand-by Screen



GIF File



Temperature



Load



Clock Speed

TH420 V2 Ultra EX ARGB CPU AIO Liquid Cooler

P/N: CL-W417-PL14SW-A

TH420 V2 Ultra EX **ARGB CPU AIO Liquid Cooler**

Release the full CPU Horsepower



thermaltake